The Journal of
Experimental Biology

EDITED BY
J. E. TREHERNE
WITH W. A. FOSTER & P. K. SCHOFIELD

INDEXES
VOLUMES 102–107
1983

THE COMPANY OF BIOLOGISTS LIMITED
CAMBRIDGE

Published by The Company of Biologists Limited, Department of Zoology, University of Cambridge, Downing Street, Cambridge CB2 3EJ

© The Company of Biologists Limited 1983

Typeset & printed by the Pindar Group of Companies, Scarborough, North Yorkshire.

INDEX OF AUTHORS

Ahearn, G. *See* MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER

Al-Awqati, Qais, Gluck, Stephen, Reeves, Westley and Cannon, Christopher. Regulation of proton transport in urinary epithelia **106**, 135

Amundin, N. and Andersen, S. H. Bony nares air pressure and nasal plug muscle activity during click production in the harbour porpoise, *Phocoena phocoena*, and the bottlenosed dolphin, *Tursiops truncatus* **105**, 275

Andersen, S. H. *See* AMUNDIN and ANDERSEN

Arbas, Edmund A. Aerial manoeuvring reflexes in flightless grasshoppers **107**, 509

Armstrong, R. B. *See* GARETTO and ARMSTRONG

—*See also* SAUBERT and ARMSTRONG

Augustine, G. J. *See* WATSON, AUGUSTINE, BENSON and SULLIVAN

Baguet, F. *See* CHRISTOPHE and BAGUET

Barber, Andrew. Nervous control of the salivary glands of the carnivorous mollusc *Philine aperta* **107**, 331

Barkai, Amiram I. and Williams, Roger M. The exchange of calcium in larvae of the mosquito *Aedes aegypti* **104**, 139

Bässler, Ulrich and Wegner, Uta. Motor output of the denervated thoracic ventral nerve cord in the stick insect *Carausius morusus* **105**, 127

Bayton, E. *See* HUDDART, BAYTON and SHANKLIN

Bell, M. V., Kelly, K. F. and Sargent, J. R. The transport of orthovanadate and similar oxyanions in relation to salt and water transport across the isolated intestine of the common eel, *Anguilla anguilla* **102**, 295

Benjamin, P. R. *See* EGELHAAF and BENJAMIN

Benson, J. A. *See* WATSON, AUGUSTINE, BENSON and SULLIVAN

Bern, Howard A. *See* FOSKETT, BERN, MACHEN and CONNER

Bernard, Lynne M. *See* JOHNSTON and BERNARD

—*See also* JOHNSTON, BERNARD and MALOIY

Bernstein, Marvin H. *See* HUDSON AND BERNSTEIN

Biber, J. *See* MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER

Bicker, Gerd and Pearson, Keir G. Initiation of flight by an identified wind sensitive neurone (TCG) in the locust **104**, 289

Biewener, Andrew A. Locomotory stresses in the limb bones of two small mammals: the ground squirrel and chipmunk **103**, 131

—Allometry of quadrupedal locomotion: the scaling of duty factor, bone curvature and limb orientation to body size **105**, 147

Birchard, Geoffrey F. *See* BOGGS and BIRCHARD

Boggs, Dona F. and Birchard, Geoffrey F. Relationship between haemoglobin O_2 affinity and the ventilatory response to hypoxia in the rhea and pheasant **102**, 347

Bolt, Stephen R. L. Haemolymph concentration and apparent permeability in varying salinity conditions of *Gammarus duebeni*, *Chaetogammarus marinus* and *Gammarus locusta* **107**, 129

Bonaventura, J. *See* GREENAWAY, BONAVENTURA and TAYLOR

—*See also* GREENAWAY, TAYLOR and BONAVENTURA

Borboa, L. *See* CEREIJIDO, GONZALÉZ-MARISCAL and BORBOA

Brafield, A. E. and Chapman, G. Diffusion of oxygen through the mesogloea of the sea anemone *Calliactis parasitica* **107**, 181

Burggren, Warren. *See* PINDER and BURGGREN

Burggren, Warren and Mwalukoma, Anganile. Respiration during chronic hypoxia and hyperoxia in larval and adult bullfrogs (*Rana catesbeiana*). I. Morphological responses of lungs, skin and gills **105**, 191

Burns, M. D. *See* THEOPHYLIDIS and BURNS

Burrows, Malcolm. *See* YANG and BURROWS

Bush, B. M. H. *See* PASZTOR and BUSH

Bush, B. M. H. and Pasztor, V. M. Graded potentials and spiking in single units of the oval organ, a mechanoreceptor in the lobster ventilatory system. II. Individuality of the three afferent fibres **107**, 451

Bush, Brian M. H. *See* SIMMERS and BUSH

Butler, P. J. *See* WOAKES and BUTLER

Cameron, James N. *See* HENRY and CAMERON

Cameron, James N. and Heisler, Norbert. Studies of ammonia in the rainbow trout: physico-chemical parameters, acid-base behaviour and respiratory clearance **105**, 107

Cannon, Christopher. *See* AL-AWQATI, GLUCK, REEVES and CANNON

Cassano, G. *See* MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER

Cereijido, M., González-Mariscal, L. and Borboa, L. Occluding junctions and paracellular pathways studied in monolayers of MDCK cells **106**, 205

Chapman, G. *See* BRAFIELD and CHAPMAN

Chapple, William D. Mechanical responses of a crustacean slow muscle **107**, 367

Chase, Ronald. *See* MUNOZ, PAWSON and CHASE

Chasserat, C. *See* CLARAC and CHASSERAT

Chasserat, C. and Clarac, F. Quantitative analysis of walking in a decapod crustacean, the rock lobster *Jasus lalandii*. II. Spatial and temporal regulation of stepping in driven walking **107**, 219

Christophe, B. and Baguet, F. Luminescence of isolated photocytes from *Porichthys* photophores: adrenergic stimulation **104**, 183

Cioffi, Moira. *See* HARVEY, CIOFFI, DOW and WOLFERSBERGER

Claiborne, J. B. *See* EVANS and CLAIBORNE

Clarac, F. *See* CHASSERAT and CLARAC
—*See also* DICAPRIO and CLARAC
—*See also* PASZTOR and CLARAC
Clarac, F and Chasserat, C. Quantitative analysis of walking in a decapod cructacean, the rock lobster *Jasus lalandii*. I. Comparative study of free and driven walking **107**, 189
Clark, Donna. *See* TURNER, WOOD and CLARK
Cohan, Christopher S. and Mpitsos, George J. The generation of rhythmic activity in a distributed motor system **102**, 25
—Selective recruitment of interganglionic interneurones during different motor patterns in *Pleurobranchaea* **102**, 43
Conner, Marilyn. *See* FOSKETT, BERN, MACHEN and CONNER
Conner, Melinda. *See* GRUBB, JORGENSEN and CONNER
Cornell, John C. and Pan, M. L. The disappearance of moulting fluid in the tobacco hornworm, *Manduca sexta* **107**, 501
Coyer, Philip E. Responses of regularly-firing *Aplysia* R_3–R_{13} neurones to normoxia and hypoxia **107**, 1
Coyer, Philip E., Halsey, James H., Jr. and Strong, Edward R. Reversible changes in the intracellular potassium ion activities and membrane potentials of *Aplysia* L_2–L_6 neurones in response to normoxia and hypoxia **102**, 79
Crespo, Silvia and Karnaky, Karl J., Jr. Copper and zinc inhibit chloride transport across the opercular epithelium of seawater-adapted killifish *Fundus heteroclitus* **102**, 337
Cruse, H. and Schmitz, J. The control system of the femur–tibia joint in the standing leg of a walking stick insect *Carausius morosus* **102**, 175
Cuppoletti, J. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS

Daan, S. *See* VIDELER, WEIHS and DAAN
Dean, Jeffrey and Wendler, Gernot. Stick insect locomotion on a walking wheel: interleg coordination of leg position **103**, 75
Demont, M. Edwin. *See* GOSLINE, STEEVES, HARMAN and DEMONT
DeVries, A. L. *See* O'GRADY, ELLORY and DEVRIES
DiCaprio, R. A. and Clarac, F. Reversal of an intersegmental reflex elicited by a muscle receptor organ **103**, 303
Dickinson, P. S. *See* NAGY and DICKINSON
Dickinson, P. S. and Nagy, F. Control of a central pattern generator by an identified modulatory interneurone in Crustacea. II. Induction and modification of plateau properties in pyloric neurones **105**, 59
—*See also* NAGY and DICKINSON
Dow, Julian A. T. *See* HARVEY, CIOFFI, DOW and WOLFERSBERGER
Driedzic, W. R. *See* FARRELL, MACLEOD, DRIEDZIC and WOOD

Edwards, H. A. Electrophysiology of mosquito anal papillae **102**, 343
—Occurrence of resilin in elastic structures in the food-pump of Reduviid bugs **105**, 407
Egelhaaf, M. and Benjamin, P. R. Coupled neuronal oscillators in the snail *Lymnaea stagnalis*: endogenous cellular properties and network interactions **102**, 93
Elliott, C. J. H. Wing hair plates in crickets: physiological characteristics and connections with stridulatory motor neurones **107**, 21
Ellory, J. C. *See* O'GRADY, ELLORY and DEVRIES
Epstein, Franklin H., Stoff, Jeffrey S. and Silva, Patricio. Mechanism and control of hyperosmotic NaCl-rich secretion by the rectal gland of *Squalus acanthias* **106**, 25
Epstein, S. and Graham, D. Behaviour and motor output of stick insects walking on a slippery surface **105**, 215
Evans, David H. and Claiborne, J. B. Haemodynamic effects of adrenaline on the isolated, perfused head of the dogfish 'pup' (*Squalus acanthias*) **105**, 363

Fahim, Mohammad, Mangel, Allen and Pressman, Berton C. Effects of ionophore-mediated transport on the cardiac resting potential **107**, 491
Farrell, A. P., MacLeod, K.R., Driedzic, W. R. and Wood, S. Cardiac performance in the *in situ* perfused fish heart during extracellular acidosis: interactive effects of adrenaline **107**, 415
Feder, Martin E. Responses to acute aquatic hypoxia in larvae of the frog *Rana berlandieri* **104**, 79
—*See also* WASSERSUG and FEDER
Fischer, Ludwig and Florey, Ernst. Modulation of synaptic transmission and excitation–contraction coupling in the opener muscle of the crayfish, *Astacus leptodactylus*, by 5-hydroxytryptamine and octopamine **102**, 187
Florey, Ernst. *See* FISCHER and FLOREY
Forman, Robin R. *See* ZILL and FORMAN
Foskett, Kevin J., Bern, Howard A., Machen, Terry E. and Conner, Marilyn. Chloride cells and the hormonal control of teleost fish osmoregulation **106**, 255
Frascella, Paul A. *See* STEPHENS, FRASCELLA and MINDREBO
Frömter, Eberhard. *See* KOTTRA and FRÖMTER

Gardiner, B. O. C. *See* O'DONNELL, MADDRELL and GARDINER
Garetto, L. P. and Armstrong, R. B. Influence of circadian rhythms on rat muscle glycogen metabolism during and after exercise **102**, 211
Gepner, J. I. *See* SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL
Gerencser, George A. and Lee, Soon-Ho. Cl^--stimulated adenosine triphosphatase: existence, location and function **106**, 143
Giangiacomo, Kathleen M. *See* WOLFERSBERGER and GIANGIACOMO
Gillary, Howard. Electrical potentials from the regenerating eye of *Strombus* **107**, 293
Glass, M. L. *See* NICOL, GLASS and HEISLER
Gluck, Stephen. *See* AL-AWQATI, GLUCK, REEVES and CANNON

Gmaj, P. *See* MURER, AHEARN, BIBER, CASSANO, GMAJ and STEIGER

Godden, D. H. and Graham, D. 'Instant' analysis of movement **107**, 505

Goldring, James M., Kater, Joanne W. and Kater, Stanley B. Electrophysiological and morphological identification of action potential generating secretory cell types isolated from the salivary gland of *Ariolimax* **102**, 13

Goldspink, G. *See* MOORE, JOHNSTON and GOLDSPINK

González-Mariscal, L. *See* CEREIJIDO, GONZÁLEZ-MARISCAL and BORBOA

Gosline, John M., Steeves, John D., Harman, Anthony D. and Demont, M. Edwin. Patterns of circular and radial mantle muscle activity in respiration and jetting of the squid *Loligo opalescens* **104**, 97

Graham, D. Insects are both impeded and propelled by their legs during walking **104**, 129

—*See also* GODDEN and GRAHAM

—*See also* EPSTEIN and GRAHAM

Graham, Jeffrey B. The transition to air breathing in fishes. II. Effects of hypoxia acclimation on the bimodal gas exchange of *Ancistrus chagresi* (Lococariidae) **102**, 157

Gray, P. T. A. and Mill, P. J. The mechanics of the predatory strike of the praying mantid *Heirodula membranacea* **107**, 245

Greenaway, Peter, Bonaventura, J. and Taylor, H. H. Aquatic gas exchange in the freshwater land crab, *Holthuisana transversa* **103**, 225

—Aerial gas exchange in Australian freshwater/land crabs of the genus Holthuisana **103**, 237

Grubb, Barbara, Jorgensen, Darwin D. and Conner, Melinda. Cardiovascular changes in the exercising emu **104**, 193

Haim, A., Heth, G., Pratt, H. and Nevo, E. Photoperiodic effects on thermoregulation in a 'blind' subterranean mammal **107**, 59

Hall, L. M. *See* SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL

Halsey, James H., Jr. *See* COYER, HALSEY and STRONG

Handler, Joseph S. Use of cultured epithelia to study transport and its regulation **106**, 55

Hanrahan, J. W. and Phillips, J. E. Cellular mechanism and control of KCl absorption in insect hindgut **106**, 71

Harman, Anthony D. *See* GOSLINE, STEEVES, HARMAN and DEMONT

Harrow, I. D. *See* SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL

Harrow, I. D. and Sattelle, D. B. Acetylcholine receptors on the cell body membrane of giant interneurone 2 in the cockroach, *Periplaneta americana* **105**, 339

Harvey, William R., Cioffi, Moira, Dow, Julian A. T. and Wolfersberger, Michael G. Potassium ion transport ATPase in insect epithelia **106**, 91

Hayes, Timothy K. and Keeley, Larry L. Patterns and control of neurosecretion for the cytochromogenic hormone in *Blaberus discoidalis* cockroaches **107**, 49

Heath, James E. *See* MURPHY and HEATH

Heisler, N. *See* TOEWS, HOLETON and HEISLER

—*See also* NICOL, GLASS and HEISLER

Heisler, N., Neumann, P. and Maloiy, G. M. O. The mechanism of intracardiac shunting in the lizard *Varanus exanthematicus* **105**, 15

Heisler, Norbert. *See* CAMERON and HEISLER

—*See also* HEISLER, NEUMANN and MALOIY

—*See also* HOLETON and HEISLER

—*See also* NEUMANN, HOLETON and HEISLER

Heitler, W. J. Suppression of a locust visual interneurone (DCMD) during defensive kicking **104**, 203

Helander, H. F. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS

Henry, Raymond P. and Cameron, James N. The role of carbonic anhydrase in respiration, ion regulation and acid-base balance in the aquatic crab *Callinectes sapidus* and the terrestrial crab *Gecarcinus lateralis* **103**, 205

Hess, Stephen D. *See* PRIOR, HUME, VARGA and HESS

Heth, G. *See* HAIM, HETH, PRATT and NEVO

Hidaka, M. Effects of certain physico-chemical agents on the mechanical properties of the catch apparatus of the sea-urchin spine **103**, 15

Hidaka, M. and Takahashi, K. Fine structure and mechanical properties of the catch apparatus of the sea-urchin spine, a collagenous connective tissue with muscle-like holding capacity **103**, 1

Hisada, Mituhiko. *See* KONDOH and HISADA

Hoa-Ren, Lin. *See* VAN DEN THILLART, RANDALL and HOA-REN

Hõbe, Helve. *See* TURNER, WOOD and HÕBE

Holeton, G. F. *See* TOEWS, HOLETON and HEISLER

Holeton, George F. *See* NEUMANN, HOLETON and HEISLER

Holeton, George F. and Heisler, Norbert. Contribution of net ion transfer mechanisms to acid-base regulation after exhausting activity in the larger spotted dogfish (*Scyliorhinus stellaris*) **103**, 31

Huddart, H., Bayton, E. and Shanklin, J. Influence of some common methylxanthines on contractile responses and calcium mobilization of ileal, van deferens and bladder smooth muscle **107**, 73

Hudson, Dennis M. and Bernstein, Marvin H. Gas exchange and energy cost of flight in the white-necked raven, *Corvus cryptoleucus* **103**, 121

Hue, B. *See* SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL

Hume, Mary. *See* PRIOR, HUME, VARGA and HESS

Johnston, I. A. *See* MOORE, JOHNSTON and GOLDSPINK

Johnston, Ian A. and Bernard, Lynne M. Utilization of the ethanol pathway in carp following exposure to anoxia **104**, 73

Johnston, Ian A., Bernard, Lynne M. and Maloiy, Geoffrey M. Aquatic and aerial respiration rates, muscle capillary supply and mitochondrial volume density in the air-breathing catfish (*Clarias mossambicus*) acclimated to either aerated or hypoxic water **105**, 317

Jorgensen, Darwin D. *See* GRUBB, JORGENSEN and CONNER

Kanou, Masamichi and Shimozawa, Tateo. The elicitation of the predatory labial strike of dragonfly larvae in response to a purely mechanical stimulus **107**, 391

Karnaky, Karl J., Jr. *See* CRESPO and KARNAKY

Kater, Joanne W. *See* GOLDRING, KATER and KATER

Kater, S. B. *See* WONG, MARTEL and KATER

Kater, Stanley B. *See* GOLDRING, KATER and KATER

Kaufmann, Ruediger. VAMP: a video activity monitoring processor for the registration of animal locomotor behaviour **104**, 295

Keeley, Larry L. *See* HAYES and KEELEY

King, David G. *See* TANOUYE and KING

King, David G. and Tanouye, Mark A. Anatomy of motor axons to direct flight muscles in *Drosophila* **105**, 231

Kelly, K. F. *See* BELL, KELLY and SARGENT

Kirschner, Leonard B. *See* SANDERS and KIRSCHNER

Koch, Alan R. *See* MOFFETT and KOCH

Koch, Franz and Wieser, Wolfgang. Partitioning of energy in fish: can reduction of swimming activity compensate for the cost of production? **107**, 141

Kondoh, Yasuhiro and Hisada, Mituhiko. Intersegmental to intrasegmental conversion by ganglionic fusion in lateral giant interneurones in crayfish **107**, 515

Kottra, Gabor and Frömter, Eberhard. Functional properties of the paracellular pathway in some leaky epithelia **106**, 217

Krahl, Bodo and Zerbst-Boroffka, Irene. Blood pressure in the leech *Hirudo medicinalis* **107**, 163

Kung, Ching. *See* SATOW, MURPHY and KUNG

Lauder, George V. Prey capture hydrodynamics in fishes: experimental tests of two models **104**, 1

Lee, Soon-Ho. *See* GERENCSER and LEE

Lewis, Simon A. Control of Na^+ and water absorption across vertebrate 'tight' epithelia by ADH and aldosterone **106**, 9

—*See also* PHILLIPS and LEWIS

Lindström, Magnus. *See* NILSSON and LINDSTRÖM

Lomholt, Jens Peter. *See* STEFFENSEN and LOMHOLT

Long, S. and Skadhauge, E. The role of urinary precipitates in the excretion of electrolytes and urate in the domestic fowl **104**, 41

— Renal acid excretion in the domestic fowl **104**, 51

Lowe, D. A. *See* RUSSELL and LOWE

McDonald, D. G. The interaction of environmental calcium and low pH on the physiology of the rainbow trout, *Salmo gairdneri*. I. Branchial and renal net ion and H^+ fluxes **102**, 123

McDonald, D. G., Walker, R. L. and Wilkes, P. R. H. The interaction of environmental calcium and low pH on the physiology of the rainbow trout. II. Branchial ionoregulatory mechanisms **102**, 141

McFarlane, Ian D. Nerve net pacemakers and phases of behaviour in the sea anemone *Calliactis parasitica* **104**, 231

Machen, Terry E. *See* FOSKETT, BERN, MACHEN and CONNER

MacLeod, K. R. *See* FARRELL, MACLEOD, DRIEDZIC and WOOD

McVicar, A. J. and Rankin, J. C. Studies on the plasma colloid osmotic pressure of the river lamprey, *Lampetra fluviatilis*, L. **104**, 299

— Renal function in unanaesthetized river lampreys (*Lampetra fluviatilis* L.): effect of anaesthesia, temperature and environmental salinity **105**, 351

Maddrell, S. H. P. *See* O'DONNELL and MADDRELL

—*See also* O'DONNELL, MADDRELL and GARDINER

Malinowska, D. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS

Maloiy, G. M. O. *See* HEISLER, NEUMANN and MALOIY

Maloiy, Geoffrey M. *See* JOHNSTON, BERNARD and MALOIY

Mangel, Allen. *See* FAHIM, MANGEL and PRESSMAN

Martel, Elaine C. *See* WONG, MARTEL and KATER

Mendlein, J. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS

Mill, P. J. *See* GRAY and MILL

Mindrebo, Norman. *See* STEPHENS, FRASCELLA and MINDREBO

Miyamoto, Takenori. *See* WASHIO and MIYAMOTO

Miyan, J. A. *See* NEIL, SCHÖNE, SCAPINI and MIYAN

Moffett, David F. and Koch, Alan R. The kinetics of active K transport by the midgut of lepidopteran larvae: effects of divalent ions **105**, 403

Montgomery, J. C. Eye movement dynamics in the dogfish **105**, 297

Moore, G., Johnston, I. A. and Goldspink, G. The pCa tension characteristics of single skinned fibres isolated from the anterior and posterior latissimus dorsi muscles of the chicken **105**, 411

Morisawa, M., Suzuki, K. and Morisawa, S. Effects of potassium and osmolality on spermatozoan motility of salmonid fishes **107**, 105

Morisawa, M., Suzuki, K., Shimizu, H., Morisawa, S. and Yasuda, K. Effects of osmolality and potassium on motility of spermatozoa from cyprinid fishes **107**, 95

Morisawa, S. *See* MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA

—*See also* MORISAWA, SUZUKI and MORISAWA

Mpitsos, George J. *See* COHAN and MPITSOS

Munoz, Douglas P., Pawson, Peter A. and Chase, Ronald. Symmetrical giant neurones in asymmetrical ganglia: implications for evolution of the nervous system in pulmonate molluscs **107**, 147

Murer, H., Ahearn, G., Biber, J., Cassano, G., Gmaj, P. and Stieger, B. Co- and counter-transport mechanisms in brush border membranes and basal-lateral membranes of intestine and kidney **106**, 163

Murphy, A. Don. *See* SATOW, MURPHY and KUNG

Murphy, Bernard F., Jr. and Heath, James E. Temperature sensitivity in the prothoracic ganglion of the cockroach, *Periplaneta americana*, and its relationship to thermoregulation **105**, 305

Mwalukoma, Anganile. *See* BURGGREN and MWALUKOMA

Nagy, F. *See* DICKINSON and NAGY

Nagy, F. and Dickinson, P. S. Control of a central pattern generator by an identified modulatory interneurone in Crustacea. I. Modulation of the pyloric motor output **105**, 33

Narins, Peter M. Synchronous vocal response mediated by the amphibian papilla in a neotropical treefrog: behavioural evidence **105**, 95

Neil, D. M., Schöne, H., Scapini, F. and Miyan, J. A. Optokinetic responses, visual adaptation and multisensory control of eye movements in the spiny lobster, *Palinurus vulgaris* **107**, 349

Neumann, P. *See* HEISLER, NEUMANN and MALOIY

Neumann, Peter, Holeton, George F. and Heisler, Norbert. Cardiac output and regional blood flow in gills and muscles after exhaustive exercise in rainbow trout (*Salmo gairdneri*) **105**, 1

Nevo, E. *See* HAIM, HETH, PRATT and NEVO

Nicol, S. C., Glass, M. L. and Heisler, N. Comparison of directly determined and calculated plasma bicarbonate concentration in the turtle *Chrysemys picta bellii* at different temperatures **107**, 521

Nilsson, Heimo L. and Lindström, Magnus. Retinal damage and sensitivity loss of a light-sensitive crustacean compound eye (*Cirolana borealis*): electron microscopy and electrophysiology **107**, 277

O'Donnell, M. J. and Maddrell, S. H. P. Paracellular and transcellular routes for water and solute movements across insect epithelia **106**, 231

O'Donnell, M. J., Maddrell, S. H. P. and Gardiner, B. O. C. Transport of uric acid by the Malpighian tubules of *Rhodnius prolixus* and other insects **103**, 169

O'Grady, S. M., Ellory, J. C. and DeVries, A. L. The role of low molecular weight antifreeze glycopeptides in the bile and intestinal fluid of antarctic fish **104**, 149

Ohtsu, Kohzoh. Antagonizing effect of ultraviolet and visible light on the ERG from the ocellus of *Spirocodon saltatrix* (Coelenterata: Hydrozoa) **105**, 417

Palfrey, H. C. and Rao, M. C. Na/K/Cl co-transport and its regulation **106**, 43

Pan, M. L. *See* CORNELL and PAN

Pang, Peter K. T. Evolution of control of epithelial transport in vertebrates **106**, 283

Parry, D. A. Labial extension in the dragonfly larva *Anax imperator* **107**, 495

Pasztor, V. M. *See* BUSH and PASZTOR

Pasztor, V. M. and Bush, B. M. H. Graded potentials and spiking in single units of the oval organ, a mechanoreceptor in the lobster ventilatory system. I. Characteristics of dual afferent signalling **107**, 431

— Graded potentials and spiking in single units of the oval organ, a mechanoreceptor in the lobster ventilatory system. III. Sensory habituation to repetitive stimulation **107**, 465

Pasztor, V. M. and Clarac, F. An analysis of waving behaviour: an alternative motor programme for the thoracic appendages of decapod crustacea **102**, 59

Pawson, Peter A. *See* MUNOZ, PAWSON and CHASE

Pearson, K. G. *See* ROWELL and PEARSON

Pearson, Keir G. *See* BICKER and PEARSON

— *See also* STEEVES and PEARSON

Pelhate, M. *See* SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL

Pennycuick, C. J. Thermal soaring compared in three dissimilar tropical bird species, *Fregata magnificens*, *Pelecanus occidentalis* and *Coragyps atratus* **102**, 307

Pettersson, Knut. Adrenergic control of oxygen transfer in perfused gills of the cod, *Gadus morhua* **102**, 327

Phillips, J. E. *See* HANRAHAN and PHILLIPS

Phillips, John and Lewis, Simon. Introduction: trends in epithelial transport and control **106**, 3

Pinder, Alan and Burggren, Warren. Respiration during chronic hypoxia and hyperoxia in larval and adult bullfrogs (*Rana catesbeiana*). II. Changes in respiratory properties of whole blood **105**, 205

Podesta, Ron B. Syncytial epithelia: transport in the absence of paracellular pathways **106**, 195

Pratt, H. *See* HAIM, HETH, PRATT and NEVO

Pressman, Berton C. *See* FAHIM, MANGEL and PRESSMAN

Primor, Naftali. Pardaxin produces sodium influx in the teleost gill-like opercular epithelia **105**, 83

Prior, David J., Hume, Mary, Varga, Dan and Hess, Stephen D. Physiological and behavioural aspects of water balance and respiratory function in the terrestrial slug, *Limax maximus* **104**, 111

Rabon, E., Cuppoletti, J., Malinowska, D., Smolka, A., Helander, H. F., Mendlein, J. and Sachs, G. Proton secretion by the gastric parietal cell **106**, 119

Randall, David. *See* VAN DEN THILLART, RANDALL and HOA-REN

Rankin, J. C. *See* MCVICAR and RANKIN

Rao, M. C. *See* PALFREY and RAO

Reeves, Westley. *See* AL-AWQATI, GLUCK, REEVES and CANNON

Rind, F. Claire. The organization of flight motoneurones in the moth, *Manduca sexta* **102**, 239

— A directionally sensitive motion detecting neurone in the brain of a moth **102**, 253

—The role of an identified brain neurone in mediating optomotor movements in a moth **102**, 273
Rossetti, John E. *See* WEBER, WELLS and ROSSETTI
Rowell, C. H. F. and Pearson, K. G. Ocellar input to the flight motor system of the locust: structure and function **103**, 265
Rubin, Andrew L., Stirling, Charles E. and Stahl, William L. ^{3}H-ouabain binding autoradiography in the abdominal nerve cord of the hawk moth, *Manduca sexta* **104**, 217
Russell, I. J. and Lowe, D. A. The effect of efferent stimulation on the phase and amplitude of extracellular receptor potentials in the lateral line system of the perch (*Perca fluviatilis*) **102**, 223

Sachs, G. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS
Sandeman, David C. and Wilkens, Lon A. Motor control of movements of the antennal flagellum in the Australian crayfish, *Euastacus armatus* **105**, 253
Sanders, Martin J. and Kirschner, Leornard, B. Potassium metabolism in seawater teleosts. I. The use of ^{86}Rb as a tracer for potassium **104**, 15
—Potassium metabolism in seawater teleosts. II. Evidence for active potassium extrusion across the gill **104**, 29
Sargent, J. R. *See* BELL, KELLY and SARGENT
Sattelle, D. B. *See* HARROW and SATTELLE
Sattelle, D. B., Harrow, I. D., Hue, B., Pelhate, M., Gepner, J. I. and Hall, L. M. α-Bungarotoxin blocks excitatory synaptic transmission between cercal sensory neurones and giant interneurone 2 of the cockroach, *Periplaneta americana* **107**, 473
Satow, Youko, Murphy, A. Don and Kung, Ching. The ionic basis of the depolarizing mechanoreceptor potential of *Paramecium tetraurelia* **103**, 253
Saubert, C. W., IV and Armstrong, R. B. Hormonal influence on diurnal glycogen rhythms in rat skeletal muscle **102**, 285
Scapini, F. *See* NEIL, SCHÖNE, SCAPINI and MIYAN
Schmitz, J. *See* CRUSE and SCHMITZ
Schöne, H. *See* NEIL, SCHÖNE, SCAPINI and MIYAN
Shanklin, J. *See* HUDDART, BAYTON and SHANKLIN
Shimizu, H. *See* MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA
Shimozawa, Takeo. *See* KANOU and SHIMOZAWA
Shuttleworth, T. J. Haemodynamic effects of secretory agents on the isolated elasmobranch rectal gland **103**, 193
Silva, Patricio. *See* EPSTEIN, STOFF and SILVA
Simmers, A. John and Bush, Brian M. H. Motor programme switching in the ventilatory system of *Carcinus maenas*: the neuronal basis of bimodal scaphognathite beating **104**, 163
Skadhauge, E. *See* LONG and SKADHAUGE
Smolka, A. *See* RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS
Spring, Kenneth R. Fluid transpört by gallbladder epithelium **106**, 181
Stahl, William L. *See* RUBIN, STIRLING and STAHL
Steeves, John D. *See* GOSLINE, STEEVES, HARMAN and DEMONT
Steeves, John D. and Pearson, Keir D. Variability in the structure of an identified interneurone in isogenic clones of locusts **103**, 47
Steffensen, John Fleng and Lomholt, Jens Peter. Energetic cost of active branchial ventilation in the sharksucker, *Echeneis naucrates* **103**, 185
Stephens, Philip, J., Frascella, Paul A. and Mindrebo, Norman. Effects of ethanol and temperature on a crab motor axon action potential: a possible mechanism for peripheral spike generation **103**, 289
Stieger, B. *See* MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER
Stirling, Charles E. *See* RUBIN, STIRLING and STAHL
Stoff, Jeffrey. *See* EPSTEIN, STOFF and SILVA
Strong, Edward R. *See* COYER, HALSEY and STRONG
Sullivan, R. E. *See* WATSON, AUGUSTINE, BENSON and SULLIVAN
Suzuki, K. *See* MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA
—*See also* MORISAWA, SUZUKI and MORISAWA

Takahashi, K. *See* HIDAKA and TAKAHASHI
Tanouye, Mark A. *See* KING and TANOUYE
Tanouye, Mark A. and King, David G. Giant fibre activation of direct flight muscles in *Drosophila* **105**, 241
Taylor, H. H. *See* GREENAWAY, BONAVENTURA and TAYLOR
—*See also* GREENAWAY, TAYLOR and BONAVENTURA
Theophilidis, G. and Burns, M. D. The innervation of the mesothoracic flexor tibiae muscle of the locust **105**, 373
Toews, D. P., Holeton, G. F. and Heisler, N. Regulation of the acid-base status during environmental hypercapnia in the marine teleost fish *Conger conger* **107**, 9
Turner, Jeffrey D. and Wood, Chris M. Factors affecting lactate and proton efflux from pre-exercised, isolated-perfused rainbow trout trunks **105**, 395
Turner, Jeffrey D., Wood, Chris M. and Clark, Donna. Lactate and proton dynamics in the rainbow trout (*Salmo gairdneri*) **104**, 247
Turner, Jeffrey D., Wood, Chris M. and Höbe, Helve. Physiological consequences of severe exercise in the inactive benthic flathead sole (*Hippoglossoides elassodon*): a comparison with the active pelagic rainbow trout (*Salmo gairdneri*) **104**, 269

Van den Thillart, Guido, Randall, David and Hoa-Ren, Lin. CO_2 and H^+ excretion by swimming coho salmon, *Oncorhynchus kisutch* **107**, 169
Varga, Dan. *See* PRIOR, HUME, VARGA and HESS
Videler, J. J., Weihs, D. and Daan, S. Intermittent gliding in the hunting flight of the kestrel **102**, 1

Walker, R. L. *See* MCDONALD, WALKER and WILKES

Washio, Hiroshi and Miyamoto, Takenori. Effect of lanthanum ions on neuromuscular transmission in insects **107**, 405

Wassersug, Richard J. and Feder, Martin E. The effects of aquatic oxygen concentration, body size and respiratory behaviour on the stamina of obligate aquatic (*Bufo americanus*) and facultative air-breathing (*Xenopus laevis* and *Rana berlandieri*) anuran larvae **105**, 173

Watson, W. H., III, Augustine, G. J., Benson, J. A. and Sullivan, R. E. Proctolin and an endogenous proctolin-like peptide enhance the contractility of the *Limulus* heart **103**, 55

Webb, P. W. Speed, acceleration and manoevrability of two teleost fishes **102**, 115

Weber, Roy E., Wells, M. G. and Rossetti, John E. Allosteric interactions governing oxygen equlibria in the haemoglobin system of the spiny dogfish, *Squalus acanthias* **103**, 109

—*See also* WELLS and WEBER

Wegner, Uta. *See* BÄSSLER and WEGNER

Weihs, D. *See* VIDELER, WEIHS and DAAN

Wells, J. *See* WELLS and WELLS

Wells, M. J. and Wells, J. The circulatory response to acute hypoxia in *Octopus* **104**, 59

Wells, Rufus M. G. and Weber, Roy E. Oxygenational properties and phosphorylated metabolic intermediates in blood and erythrocytes of the dogfish, *Squalus acanthias* **103**, 95

—*See also* WEBER, WELLS and ROSSETTI

Wendler, Gernot. *See* DEAN and WENDLER

Wieser, Wolfgang. *See* KOCH and WIESER

Wilkens, Lon A. *See* SANDEMAN and WILKENS

Wilkes, P. R. H. *See* MCDONALD, WALKER and WILKES

Williams, Roger M. *See* BARKAI and WILLIAMS

Williams, Terrie M. Locomotion in the North American mink, a semi-aquatic mammal. I. Swimming energetics and body drag. **103**, 155

—Locomotion in the North American mink, a semi-aquatic mammal. II. The effect of an elongate body on running energetics and gait patterns **105**, 283

Woakes, A. J. and Butler, P. J. Swimming and diving in tufted ducks, *Aythya fuligula*, with particular reference to heart rate and gas exchange **107**, 311

Wolfersberger, Michael G. *See* HARVEY, CIOFFI, DOW and WOLFERSBERGER

Wolfersberger, Michael G. and Giangiacomo, Kathleen M. Active potassium transport by the isolated lepidopteran larval midgut: stimulation of net potassium flux and elimination of the slower phase decline of the short-circuit current **102**, 199

Wong, Richard G., Martel, Elaine C. and Kater, S. B. Conditioning factor(s) produced by several molluscan species promote neurite outgrowth in cell culture **105**, 389

Wood, Chris M. *See* TURNER, WOOD and CLARK

—*See also* TURNER, WOOD and HÖBE

—*See also* TURNER and WOOD

Wood, S. *See* FARRELL, MACLEOD, DRIEDZIC and WOOD

Yang, Qin-Zhao and Burrows, Malcolm. The identification of motor neurones innervating an abdominal ventilatory muscle in the locust **107**, 115

Yasuda, K. *See* MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA

Zerahn, Karl. Comparison between active transport of Te^+, K^+ and Rb^+ across the isolated short-circuited frog skin **107**, 65

Zerbst-Boroffka, Irene. *See* KRAHL and ZERBST-BOROFFKA

Zill, Sasha N. and Forman, Robin R. Proprioceptive reflexes change when an insect assumes an active, learned posture **107**, 385

INDEX OF SUBJECTS

Acclimation:
Of larval and adult bullfrogs to hypoxia and hyperoxia (BURGGREN and MWALUKOMA) **105**, 193; (PINDER and BURGGREN) **105**, 205
Acetylcholine receptors:
On the cell body membrane of giant interneurone 2 in the cockroach (HARROW and SATTELLE) **105**, 339
Acid-base regulation:
After exercise in the larger spotted dogfish (HOLETON and HEISLER) **103**, 31
— In the aquatic crab (*Callinectes sapidus*) and the terrestrial crab (*Gecarcinus lateralis*) (HENRY and CAMERON) **103**, 205
— In swimming coho salmon (VAN DEN THILLART, RANDALL and HOA-REN) **107**, 169
Acidosis:
Extracellular, effect on cardiac performance of the *in situ* perfused fish heart (FARRELL, MACLEOD, DRIEDZIC and WOOD) **107**, 415
Action potentials:
Identification of, from secretory cells isolated from the salivary gland of Ariolimax (GOLDRING, KATER and KATER) **102**, 13
— Peripheral generation of, in the crab (STEPHENS, FRASCELLA and MINDREBO) **103**, 289
Active transport:
Of potassium, across the gills of marine teleost fishes (SANDERS and KIRSCHNER) **104**, 29
— Of potassium, kinetics of, across the midgut of lepidopteran larvae (MOFFETT and KOCH) **105**, 403
— Of thallium, potassium and rubidium across the isolated, short-circuited frog skin (ZERAHN) **107**, 65
Adrenaline:
Effect on *in situ* perfused fish heart (FARRELL, MACLEOD, DRIEDZIC and WOOD) **107**, 415
Adrenergic receptors:
For control of oxygen transfer in perfused *Gadus morhua* gills (PETTERSSON) **102**, 327
***Aedes aegypti*:**
Electrophysiology of anal papillae (EDWARDS) **102**, 343
— Exchange of calcium in the larvae (BARKAI and WILLIAMS) **104**, 139
Afferent signalling:
In the oval organ of *Homarus gammarus* (PASZTOR and BUSH) **107**, 431
α-Bungarotoxin:
Effect on neurotransmission in the cockroach (SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL) **107**, 473
Ammonia:
Metabolism and excretion by *Salmo gairdneri* (CAMERON and HEISLER) **105**, 107
Amphibia:
Synchronous vocal responses in a neotropical treefrog (NARINS) **105**, 95
Anaerobiosis:
Utilization of the ethanol pathway in response to, by carp (JOHNSTON and BERNARD) **104**, 73
Anaesthesia:
Effect on renal function in the river lamprey (MCVICAR and RANKIN) **105**, 351
***Ancistrus chagresi*:**
Transition to air breathing (GRAHAM) **102**, 157
***Anguilla anguilla*:**
The transport of orthovanadate and similar oxyanions in relation to salt and water transport across the isolated intestine (BELL, KELLY and SARGENT) **102**, 295
Anoxia:
Metabolic response of carp to (JOHNSTON and BERNARD) **104**, 73
Antenna:
Motor control of, in the crayfish *Euastacus armatus* (SANDEMAN and WILKENS) **105**, 253
***Anthocidaris crassispina*:**
See Sea urchin
Anthomedusa:
Antagonizing effects of ultraviolet and visible light on the ERG from the ocellus (OHTSU) **105**, 417
Antifreeze glycopeptides:
Role in bile and intestinal fluids of antarctic teleost fishes (O'GRADY, ELLORY and DEVRIES) **104**, 149
***Aplysia*:**
Reversible changes in the intracellular potassium ion activities and membrane potentials in L_2–L_6 neurones, effects of normoxia and hypoxia (COYER, HALSEY and STRONG) **102**, 79
***Ariolimax*:**
Action potential generating secretory cell types in the salivary gland of (GOLDRING, KATER and KATER) **102**, 13
Arginine vasotocin:
Role in control of osmoregulation by vertebrates (PANG) **106**, 283
***Astacus leptodactylus*:**
Modulation of synaptic transmission and excitation–contraction coupling in the opener muscle by 5-hydroxytryptamine and octopamine (FISCHER and FLOREY) **102**, 187
ATPase:
Anion-stimulated, role in chloride transport by plasma membranes (GERENCSER and LEE) **106**, 143
Auditory system:
Role in synchronization of vocal responses in a neotropical treefrog (NARINS) **105**, 95

Behaviour:
Feeding, in molluscs (COHAN and MPITSOS) **102**, 25, 43
— Waving, by thoracic appendages of decapod crustacea (PASZTOR and CLARAC) **102**, 59

—'Instant' analysis of patterns (GODDEN and GRAHAM) **107**, 505

Bicarbonate concentration:
In turtle plasma at different temperatures (NICOL, GLASS and HEISLER) **107**, 521

Birds:
Tropical, patterns of thermal soaring (PENNYCUICK) **102**, 307
—Relationship between haemoglobin O_2 affinity and the ventilatory response to hypoxia in the rhea and pheasant (BOGGS and BIRCHARD) **102**, 347
—Urinary precipitates from the domestic fowl (LONG and SKADHAUGE) **104**, 41
—Urinary acidification in the domestic fowl (LONG and SKADHAUGE) **104**, 51
—pCa-tension characteristics of single skinned skeletal muscles fibres from the chicken (MOORE, JOHNSTON and GOLDSPINK) **105**, 411

Blood factors:
Effect on potassium transport by isolated lepidopteran larval midgut (WOLFERSBERGER and GIANGIACOMO) **102**, 199

Blood glucose:
In rats, influence of circadian rhythms during and after exercise (GARETTO and ARMSTRONG) **102**, 211

Blood pressure:
In the leech, *Hirudo medicinalis* (KRAHL and ZERBST-BOROFFKA) **107**, 163

Body drag:
Affecting swimming energetics of the North American mink (WILLIAMS) **103**, 155

Body size:
Scaling of duty factor, bone curvature and limb orientation to, in quadruped locomotion (BIEWENER) **105**, 147

Bone stress:
In locomotion of ground squirrel and chipmunk (BIEWENER) **103**, 131
—Scaled to body size in quadruped locomotion (BIEWENER) **105**, 147

Bullfrog:
See Rana catesbeiana

Calcium:
Environmental, effect on physiology of *Salmo gairdneri* (MCDONALD) **102**, 123, (MCDONALD, WALKER and WILKES) **102**, 141
—Exchange of, in larvae of *Aedes aegypti* (BARKAI and WILLIAMS) **104**, 139
—Fluxes in smooth muscle, influence of methylxanthines (HUDDART, BAYTON and SHANKLIN) **107**, 73

Calculation *versus* measurement:
Of bicarbonate in turtle plasma (NICOL, GLASS and HEISLER) **107**, 521

***Calliactis parasitica*:**
Diffusion of oxygen through the mesogloea (BRAFIELD and CHAPMAN) **107**, 181

***Callinectes sapidus*:**
Respiration, ion regulation and acid-base balance (HENRY and CAMLRON) **103**, 205

Capillaries:
Changes in response to hypoxia, in skeletal muscle of *Clarias mossambicus* (JOHNSTON, BERNARD and MALOIY) **105**, 317

***Carausius morosus*:**
Control system of the femur–tibia joint in the standing leg of the walking stick insect (CRUSE and SCHMITZ) **102**, 175
—Interleg coordination of leg position on a walking wheel (DEAN and WENDLER) **103**, 75
—Kinetics of walking behaviour (GRAHAM) **104**, 129
—Motor output of the denervated thoracic ventral nerve cord (BÄSSLER and WEGNER) **105**, 127
—Behaviour and motor output when walking on a slippery surface (EPSTEIN and GRAHAM) **105**, 215

Carbon dioxide:
Excretion by swimming coho salmon (VAN DEN THILLART, RANDALL and HOA-REN) **107**, 169

Carbonic anhydrase:
Role in respiration, ion regulation and acid-base balance of aquatic and terrestrial crabs (HENRY and CAMERON) **103**, 205

Cardiac muscle:
Effects of ionophores on the resting potential (FAHIM, MANGEL and PRESSMAN) **107**, 491

Cardiac output:
In *Salmo gairdeneri* after exhaustive exercise (NEUMANN, HOLETON and HEISLER) **105**, 1
—In the *in situ* perfused fish heart during extracellular acidosis (FARRELL, MACLEOD, DRIEDZIC and WOOD) **107**, 415

Cardiovascular changes:
In the exercising emu (GRUBB, JORGENSEN and CONNER) **104**, 193

Carp:
Carassius carassius L. and *Cyprinus carpio* L., metabolic response to anoxia (JOHNSTON and BERNARD) **104**, 73

Catch apparatus:
Of the sea-urchin, fine structure and mechanical properties (HIDAKA and TAKAHASHI) **103**, 1
—Of the sea-urchin, effect of physico-chemical agents on the mechanical properties (HIDAKA) **103**, 15

Catecholamines:
Influence on diurnal glycogen rhythms in rat skeletal muscle (SAUBERT and ARMSTRONG) **102**, 285

Catfish:
See Clarias mossambicus

Cell culture:
Molluscan, factors promoting neurite outgrowth (WONG, MARTEL and KATER) **105**, 389

***Cephaloscyllium isabella*:**
Dynamics of eye movements (MONTGOMERY) **105**, 297

Chipmunk:
See Tamais striatus

Chloride cell:
In the control of teleost fish osmoregulation (FOSKETT, BERN, MACHEN and CONNER) **106**, 255

Chloride secretion:
Mechanism of, in rectal gland of *Squalus acanthias* (EPSTEIN, STOFF and SILVA) **106**, 25

Chloride transport:
Inhibition of, by copper and zinc, across the opercular epithelium of killifish (CRESPO and KARNAKY) **102**, 337

—Control of, in locust hindgut (HANRAHAN and PHILLIPS) **106**, 71
—Role of anion-stimulated ATPase (GERENCSER and LEE) **106**, 143
Circulation:
Changes in, by *Octopus* in response to hypoxia (WELLS and WELLS) **104**, 59
***Cirolana borealis*:**
Light induced retinal damage in the compound eye (NILSSON and LINDSTRÖM) **107**, 277
***Clarias mossambicus*:**
Effect of acclimation to hypoxia on respiration rates, muscle capillary supply and mitochondrial volume density (JOHNSTON, BERNARD and MALOIY) **105**, 317
Cockroach:
See Periplaneta americana
Cod:
See Gadus morhua
Coelenterates:
Oxygen diffusion through mesogloea of the sea anemone (BRAFIELD and CHAPMAN) **107**, 181
Colloid osmotic pressure:
In the plasma of the river lamprey (MCVICAR and RANKIN) **104**, 299
Compartmental analysis:
For calcium, in the larvae of *Aedes aegypti* (BARKAI and WILLIAMS) **104**, 139
Connective tissue:
Catch apparatus of sea-urchin (HIDAKA and TAKAHASHI) **103**, 1; (HIDAKA) **103**, 15
Contractile properties:
Of single, skinned skeletal muscle fibres isolated from chickens (MOORE, JOHNSTON and GOLDSPINK) **105**, 411
Coordinated motor output:
In molluscan feeding behaviour (COHAN and MPITSOS) **102**, 25
—During different motor patterns in *Pleurobranchaea* (COHAN and MPITSOS) **102**, 43
—In neuronal oscillators of the snail *Lymnaea stagnalis* (EGELHAAF and BENJAMIN) **102**, 93
Copper:
Inhibition of chloride transport across the opercular epithelium of killifish (CRESPO and KARNAKY) **102**, 337
***Coragyps atratus*:**
Thermal soaring pattern (PENNYCUICK) **102**, 307
***Corvus cryptoleucus*:**
Gas exchange and energy cost of flight (HUDSON and BERNSTEIN) **103**, 121
Crab:
Holthuisana transversa, aquatic gas exchange (GREENAWAY, BONAVENTURA and TAYLOR) **103**, 225
—Aerial gas exchange of the genus *Holthuisana* (GREENAWAY, TAYLOR and BONAVENTURA) **103**, 237
—*Pachygrapsus crassipes*, effects of ethanol and temperature on a motor axon potential (STEPHENS, FRASCELLA and MINDREBO) **103**, 289
—*Carcinus maenas*, reversal of an intersegmental reflex elicited by a muscle receptor organ (DICAPRIO and CLARAC) **103**, 303
—*Carcinus maenas*, motor programme switching in the respiratory system (SIMMERS and BUSH) **104**, 163
—*Pagurus pollicarus*, mechanical responses of a slow muscle (CHAPPLE) **107**, 367
Crayfish:
See Astacus leptodactylus
—*See also Euastacus armatus*
—*See also Procambarus clarkii*
Cricket stridulation:
Physiological characteristics of stridulatory motor neurones (ELLIOTT) **107**, 21
Crustaceans:
Decapod, waving behaviour (PASZTOR and CLARAC) **102**, 59
—Respiration, ion regulation and acid-base balance in aquatic and terrestrial crabs (HENRY and CAMERON) **103**, 205
—Locomotion in the rock lobster *Jasus lalandii* (CLARAC and CHASSERAT) **107**, 189; (CHASSERAT and CLARAC) **107**, 219
—Retinal damage to the compound eye, induced by light (NILSSON and LINDSTRÖM) **107**, 277
—Mechanical responses of a slow muscle (CHAPPLE) **107**, 367
—Graded potentials and spiking in single units of the lobster oval organ (PASZTOR and BUSH) **107**, 431, 465; (BUSH and PASZTOR) **107**, 451
Cyclic AMP:
Effect on potassium transport by isolated, lepidopteran larval midgut (WOLFERSBERGER and GIANGIACOMO) **102**, 199
Cyclic nucleotides:
Role in Na/K/Cl co-transport and its regulation (PALFREY and RAO) **106**, 43
Cytochromes:
Control of neurosecretion for the cytochromogenic hormone in the cockroach (HAYES and KEELEY) **107**, 49

Denervation:
Of thoracic ventral nerve cord in the stick insect, effect on motor output (BÄSSLER and WEGNER) **105**, 127
Differentiation:
Of cultured epithelia used to study transport and its control (HANDLER) **106**, 55
Direct flight muscles:
Anatomy of motor innervation (KING and TANOUYE) **105**, 231
—In *Drosophila melanogaster*, giant fibre activation of (TANOUYE and KING) **105**, 241
Divalent ions:
Effect on active transport of potassium by the midgut of lepidopteran larvae (MOFFETT and KOCH) **105**, 403
Diving:
Effect on heart rate and gas exchange of tufted ducks (WOAKES and BUTLER) **107**, 311
Dogfish:
See Scyliorhinus stellaris
—*See also Squalus acanthias*
—*See also Cephaloscyllium isabella*

Dolphin:
See Tursiops truncatus
Dragonfly larva:
Elicitation of the predatory labial strike (KANOU and SHIMOZAWA) **107**, 391
—Labial extension (PARRY) **107**, 495
***Drosophila melanogaster*:**
Neuroanatomy of flight system (KING and TANOUYE) **105**, 231
—Giant fibre activation of direct flight muscles (TANOUYE and KING) **105**, 241
Ducks:
Tufted, effects of swimming and diving on heart rate and gas exchange (WOAKES and BUTLER) **107**, 311

Ecdysis:
Disappearance of moulting fluid in *Manduca sexta* (CORNELL and PAN) **107**, 501
***Echeneis naucrates*:**
Energetic cost of active branchial respiration (STEFFENSEN and LOMHOLT) **103**, 185
Eel:
See Anguilla anguilla
Elasmobranchs:
Oxygenational properties and phosphorylated intermediates in blood and erythrocytes of the dogfish (WELLS and WEBER) **103**, 95
—Allosteric interactions governing oxygen equilibria in the haemoglobin system of the spiny dogfish (WEBER, WELLS and ROSSETTI) **103**, 109
Electronic coupling:
Of neuronal oscillators in *Lymnaea stagnalis* (EGELHAAF and BENJAMIN) **102**, 93
Electrophysiology:
Of cells isolated from the salivary gland of *Arion limax* (GOLDRING, KATER and KATER) **102**, 13
—Of the regenerating eye of *Strombus* (GILLARY) **107**, 293
—Effects of ionophore-mediated transport on cardiac resting potential (FAHIM, MANGEL and PRESSMAN) **107**, 491
Electroretinogram (ERG):
From the ocellus of *Spirodon saltatrix*, effect of ultraviolet and visible light (OHTSU) **105**, 417
EMG:
Recorded during walking by the rock lobster *Jasus lalandii* (CLARAC and CHASSERAT) **107**, 189; (CHASSERAT and CLARAC) **107**, 219
Emu:
Dromiceius novaehollandiae, cardiovascular changes in response to exercise (GRUBB, JORGENSEN and CONNER) **104**, 193
Energetics:
Of ram ventilation by the sharksucker, *Echeneis naucrates* (STEFFENSEN and LOMHOLT) **103**, 185
—Of swimming, in the North American mink (WILLIAMS) **103**, 155
—Of running, in the North American mink (WILLIAMS) **105**, 283
Energy partitioning:
In fish, reduction of swimming activity to compensate for the cost of production (KOCH and WIESER) **107**, 141
Epithelia:
'Tight', hormonal control of Na^+ and water absorption across (LEWIS) **106**, 91
—Cultured, polarity of and use in study of transport regulation (HANDLER) **106**, 55
—Leaky, functional properties of the paracellular pathway (KOTTRA and FRÖMTER) **106**, 217
—Insect, paracellular and transcellular routes for water and solute movements (O'DONNELL and MADDRELL) **106**, 231
Erythrocytes:
Of dogfish, oxygen transport and metabolic intermediates (WELLS and WEBER) **103**, 95
—Na/K/Cl co-transport and its regulation (PALFREY and RAO) **106**, 43
Escape initiation:
In *Drosophila melanogaster*, role of giant fibres in activating direct flight muscles (TANOUYE and KING) **105**, 241
***Eustacus armatus*:**
Motor control of the antennal flagellum (SANDEMAN and WILKENS) **105**, 253
Evolution:
Of the nervous system in pulmonate molluscs (MUNOZ, PAWSON and CHASE) **107**, 147
Excitation–contraction coupling:
Modulation of, by 5-hydroxytryptamine and octopamine in crayfish opener muscle (FISCHER and FLOREY) **102**, 187
Excretion:
Of ammonia by *Salmo gairdneri* (CAMERON and HEISLER) **105**, 107
—Function of Malpighian tubules in insects (O'DONNELL and MADDRELL) **106**, 231
Exercise:
Cardiovascular changes in emu, resulting from (GRUBB, JORGENSEN and CONNER) **104**, 193
—Effect on lactate and proton dynamics in the rainbow trout (TURNER, WOOD and CLARK) **104**, 247
—Physiological consequences in flathead sole and rainbow trout (TURNER, WOOD and HÖBE) **104**, 269
—Exhaustive, effect on cardiac output and regional blood flow in *Salmo gairdneri* (NEUMANN, HOLETON and HEISLER) **105**, 1
—Factors affecting lactate and proton efflux from isolated perfused trunks of rainbow trout (TURNER and WOOD) **105**, 395
Eye:
Compound, retinal damage and sensitivity loss, induced by light (NILSSON and LINDSTRÖM) **107**, 277
—Regeneration of, by *Strombus luhuanus* (GILLARY) **107**, 293
Eye movements:
Dynamics of, in the dogfish *Cephaloscyllium isabella* (MONTGOMERY) **105**, 297

Facultative air breathing:
Effect of hypoxia acclimation on the bimodal gas exchange of *Ancistrus chagresi* (GRAHAM) **102**, 157
***Falco tinnunculus* L.:**
Intermittent gliding in the hunting flight of (VIDELER, WEIHS and DAAN) **102**, 1

Feeding behaviour:
Importance of coordinated motor output, in *Pleurobranchaea* (COHAN and MPITSOS) **102**, 25
—Selective recruitment of interganglionic interneurones in *Pleurobranchaea* (COHAN and MPITSOS) **102**, 43
—Prey capture dynamics in fish (LAUDER) **104**, 1
Fish:
Air breathing in *Ancistrus chagresi* (GRAHAM) **102**, 157
—Prey capture dynamics of (LAUDER) **104**, 1
—Freshwater, factors affecting sperm motility (MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA) **107**, 95
—Salmonid, effects of potassium and osmolality on sperm motility (MORISAWA, SUZUKI and MORISAWA) **107**, 105
Fish toxin:
Pardaxin, produces a sodium influx in teleost opercular epithelia (PRIMOR) **105**, 83
Flathead sole:
Physiological consequences of severe exercise in *Hippoglossoides ellasodon* (TURNER, WOOD and HOBE) **104**, 269
Flexor tibiae:
Innervation of, in the locust (THEOPHILIDIS and BURNS) **105**, 373
Flight:
Of *Manduca sexta*, organization of motoneurones (RIND) **102**, 239
—Soaring patterns in three dissimilar tropical birds (PENNYCUICK) **102**, 307
—Of *Corvus cryptoleucus*, gas exchange and energy costs (HUDSON and BERNSTEIN) **103**, 121
—Initiation of, by an identified wind-sensitive interneurone in the locust (BICKER and PEARSON) **104**, 289
Flight motor system:
Of the locust, structure and function (ROWELL and PEARSON) **103**, 265
—Neuroanatomy of, in *Drosophila melanogaster* (KING and TANOUYE) **105**, 231
—Giant fibre activation of, in *Drosophila melanogaster* (TANOUYE and KING) **105**, 241
Flounder intestine:
Na/K/Cl co-transport and its regulation in, (PALFREY and RAO) **106**, 43
Food pump:
Presence of resilin in elastic structures of, in Reduviid bugs (EDWARDS) **105**, 397
***Frigata magnificens*:**
Thermal soaring pattern (PENNYCUICK) **102**, 307
Frog skin:
Active transport of cations (ZERAHN) **107**, 65

***Gadus morhua*:**
Adrenergic control of oxygen transfer in perfused gills (PETTERSSON) **102**, 327
Gas exchange:
In perfused *Gadus morhua* gills (PETTERSSON) **102**, 327
—During flight of *Corvus cryptoleucus* (HUDSON and BERNSTEIN) **103**, 121
—Aquatic, in freshwater/land crabs (GREENAWAY, BONAVENTURA and TAYLOR) **103**, 225
—Aerial, in freshwater/land crabs (GREENAWAY, TAYLOR and BONAVENTURA) **103**, 237
***Gecarcinus lateralis*:**
Respiration, ion regulation and acid-base balance (HENRY and CAMERON) **103**, 205
Gill haemodynamics:
In the isolated, perfused head of the dogfish, effects of adrenaline (EVANS and CLAIBORNE) **105**, 363
Gliding:
Intermittent, in the hunting flight of the kestrel (VIDELER, WEIHS and DAAN) **102**, 1
Glycogen metabolism:
In rats, influence of circadian rhythms on metabolism during and after exercise (GARETTO and ARMSTRONG) **102**, 211
—In rat, influence of hormones on diurnal rhythms (SAUBERT and ARMSTRONG) **102**, 285
Glycoprotein:
As an antifreeze in the bile and intestinal fluids of antarctic fish (O'GRADY, ELLORY and DEVRIES) **104**, 149
Grasshopper:
Aerial manoeuvring reflexes in *Barytettix psolus* (ARBAS) **107**, 509
Ground squirrel:
See Spermophilus tridecemlineatus
Growth factors:
Promoting neurite outgrowth in molluscan cell cultures (WONG, MARTEL and KATER) **105**, 389

H^+ secretion:
By the gastric parietal cell (RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS) **106**, 119
H^+-ATPase:
In the regulation of proton transport in urinary epithelia (AL-AWQATI, GLUCK, REEVES and CANNON) **106**, 135
(H^++K^+) ATPase:
Function in the gastric parietal cell (RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS) **106**, 119
Haemodynamics:
Of the isolated elasmobranch rectal gland (SHUTTLEWORTH) **103**, 193
—In the lizard *Varanus exanthematicus* (HEISLER, NEUMANN and MALOIY) **105**, 15
—Of the isolated, perfused head of the dogfish (EVANS and CLAIBORNE) **105**, 363
Haemoglobin:
Allosteric interactions governing oxygen equilibria in the spiny dogfish (WEBER, WELLS and ROSSETTI) **103**, 109
Haemolymph:
Concentration of, effect of external salinity on three species of euryhaline amphipods (BOLT) **107**, 129
Hair plate:
In cricket wings, physiological characteristics and connections with stridulatory motor neurones (ELLIOTT) **107**, 21

Hearing:
In synchronization of vocal responses of a neotropical treefrog (NARINS) **105**, 95
Heart-beat co-ordination:
In the leech, *Hirudo medicinalis* (KRAHL and ZERBST-BOROFFKA) **107**, 163
***Heirodula membranacea*:**
Muscle mechanics of the predatory strike (GRAY and MILL) **107**, 245
***Holthuisana*:**
Aquatic gas exchange (GREENAWAY, BONAVENTURA and TAYLOR) **103**, 225
— Aerial gas exchange (GREENAWAY, TAYLOR and BONAVENTURA) **103**, 237
Hormones:
Controlling Na^+ and water absorption across vertebrate tight epithelia (LEWIS) **106**, 9
— In regulation of transport and its control in cultured epithelia (HANDLER) **106**, 55
— In control of KCl absorption by locust hindgut (HANRAHAN and PHILLIPS) **106**, 71
Hydraulic joint:
In the labium of the dragonfly (PARRY) **107**, 495
5-Hydroxytryptamine:
Effect on synaptic transmission and excitation–contraction coupling in the opener muscle of *Astacus leptodactylus* (FISCHER and FLOREY) **102**, 187
***Hymenolepis diminuta*:**
Transport in the absence of paracellular pathways (PODESTA) **106**, 195
Hypercapnia:
Effect on regulation of acid-base status in a marine teleost fish (TOEWS, HOLETON and HEISLER) **107**, 9
Hyperoxia:
Effect on respiration of adult and larval bullfrogs (BURGGREN and MWALUKOMA) **105**, 193; (PINDER and BURGGREN) **105**, 205
Hypoxia:
Causes reversible changes in intracellular potassium ion activities and membrane potentials in *Aplysia* neurones (COYER, HALSEY and STRONG) **102**, 79
— Acclimation, effect on the bimodal gas exchange of *Ancistrus chagresi* (GRAHAM) **102**, 157
— Effect on ventilatory response of rhea and pheasant (BOGGS and BIRCHARD) **102**, 347
— Effect on circulation in *Octopus* (WELLS and WELLS) **104**, 59
— Aquatic, effect on respiration of *Rana berlandieri* tadpoles (FEDER) **104**, 79
— Effect on respiration of adult and larval bullfrogs (BURGGREN and MWALUKOMA) **105**, 191; (PINDER and BURGGREN) **105**, 205
— Effect on respiration rates, muscle capillary supply and mitochondrial volume density in *Clarias mossambicus* (JOHNSTON, BERNARD and MALOIY) **105**, 317
— Effect on regularly firing R_3-R_{13} neurones in *Aplysia californica* (COYER) **107**, 1

Innervation:
Of the mesothoracic flexor tibiae muscle in the locust (THEOPHILIDIS and BURNS) **105**, 373
Insect:
Uric acid transport by Malpighian tubules (O'DONNELL, MADDRELL and GARDINER) **103**, 169
— Control of KCl absorption in hindgut (HANRAHAN and PHILLIPS) **106**, 71
— Control of neurosecretion for the cytochromogenic hormone in the cockroach (HAYES and KEELEY) **107**, 49
— Changes in proprioceptive reflexes when a posture is learned (ZILL and FORMAN) **107**, 385
— Effect of lanthanum ions on neuromuscular transmission in the cockroach (WASHIO and MIYAMOTO) **107**, 405
Instrumentation:
A video activity monitoring processor for the registration of animal locomotor activity (KAUFMANN) **104**, 295
Insulin:
Influence on diurnal glycogen rhythms in rat skeletal muscle (SAUBERT and ARMSTRONG) **102**, 285
Integument:
Role in ecdysis of *Manduca sexta* (CORNELL and PAN) **107**, 501
Interneurones:
Selective recruitment of, during different motor patterns in *Pleurobranchaea* (COHAN and MPITSOS) **102**, 43
— Structure and function in the flight motor system of the locust (ROWELL and PEARSON) **103**, 265
— DCMD, suppression of during defensive kicking by the locust (HEITLER) **104**, 203
— Role in flight initiation in the locust (BICKER and PEARSON) **104**, 289
— In control of a central pattern generator (NAGY and DICKINSON) **105**, 33; (DICKINSON and NAGY) **105**, 59
— Acetylcholine receptors on the cell body membrane in the cockroach (HARROW and SATTELLE) **105**, 339
— Lateral giant, ganglionic fusion in crayfish (KONDOH and HISADA) **107**, 515
Intestine:
Of *Anguilla anguilla*, transport of orthovanadate and other oxyanions (BELL, KELLY and SARGENT) **102**, 295
— Transport mechanisms in brush border and basal-lateral membranes (MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER) **106**, 163
Intracardiac shunting:
In the lizard, *Varanus exanthematicus* (HEISLER, NEUMANN and MALOIY) **105**, 15
Ion transfer:
Between fish and sea water during environmental hypercapnia (TOEWS, HOLETON and HEISLER) **107**, 9
Ionophores:
Effect on cardiac resting potential (FAHIM, MANGEL and PRESSMAN) **107**, 491
Ionoregulatory mechanisms:
Branchial, of *Salmo gairdneri* (MCDONALD) **102**, 123; (MCDONALD, WALKER and WILKES) **102**, 141

—Contribution to acid-base regulation after exercise in larger spotted dogfish (HOLETON and HEISLER) **103**, 31

Ion-osmoregulation:
Influence of pardaxin on teleost opercular epithelium (PRIMOR) **105**, 83

Isogenic clones:
Of locusts, variability in the structure of an identified interneurone (STEEVES and PEARSON) **103**, 47

Jumping:
By a flightless grasshopper, aerial manoeuvring reflexes (ARBAS) **107**, 509

Kestrel:
See Falco tinnunculus L.

Kicking:
Suppression of a locust visual interneurone during (HEITLER) **104**, 203

Kidney:
Transport mechanisms in brush border membranes and basal-lateral membranes (MURER, AHEARN, BIBER, CASSANO, GMAJ and STIEGER) **106**, 163

Killifish:
See Fundulus heteroclitus

Kinetics:
Of walking behaviour in stick insects (GRAHAM) **104**, 129
—Of walking in the rock lobster *Jasus lalandii* (CLARAC and CHASSERAT) **107**, 189; (CHASSERAT and CLARAC) **107**, 219

Labial mechanism:
In the dragonfly larva (PARRY) **107**, 495

Lactate:
And proton dynamics in rainbow trout after severe exercise (TURNER, WOOD and CLARK) **104**, 247
—Production of, after severe exercise in flathead sole and rainbow trout (TURNER, WOOD and HÖBE) **104**, 269
—And proton efflux from pre-exercised, isolated perfused trunks of rainbow trout (TURNER and WOOD) **105**, 395

***Lampetra fluviatilis*:**
Studies on the plasma colloid osmotic pressure (MCVICAR and RANKIN) **104**, 299
—Effects of anaesthesia, temperature and environmental salinity on renal function (MCVICAR and RANKIN) **105**, 351

Lanthanum ions:
Effect on insect neuromuscular transmission (WASHIO and MIYAMOTO) **107**, 405

Lateral line system:
In the perch, effect of efferent stimulation on receptor potentials (RUSSELL and LOWE) **102**, 223

Learning:
Effect on proprioceptive reflexes in an insect (ZILL and FORMAN) **107**, 385

Leech:
Hirudo medicinalis, blood pressure (KRAHL and ZERBST-BOROFFKA) **107**, 163

Leg coordination:
By walking stick insect (DEAN and WENDLER) **103**, 75

Light microscopy:
For the measurement of water permeability of individual cell membranes (SPRING) **106**, 181

***Limulus*:**
Proctolin enhances contractility of the heart (WATSON, AUGUSTINE, BENSON and SULLIVAN) **103**, 55

Lobster:
Palinurus vulgaris, vision of (NEIL, SCHÖNE, SCAPINI and MIYAN) **107**, 349
—*Homarus gammarus*, ventilatory system of (PASZTOR and BUSH) **107**, 431, 465; (BUSH and PASZTOR) **107**, 451

Locomotion:
Bone stresses in small mammals (BIEWENER) **103**, 131
—In the squid, patterns of circular and radial mantle muscle activity (GOSLINE, STEEVES, HARMAN and DEMONT) **104**, 97
—A video activity monitoring system (KAUFMANN) **104**, 295
—Allometry of, in quadrupeds (BIEWENER) **105**, 147
—Effects of oxygen concentration, body size and respiratory behaviour of anuran larvae (WASSERSUG and FEDER) **105**, 173
—In the rock lobster *Jasus lalandii* (CLARAC and CHASSERAT) **107**, 189; (CHASSERAT and CLARAC) **107**, 219
—'Instant' analysis of (GODDEN and GRAHAM) **107**, 505

Locust:
See Schistocerca gregaria
—*See also Schistocerca americana*
—*See also Locusta migratoria*

***Locusta migratoria*:**
Initiation of flight by an identified wind-sensitive interneurone (BICKER and PEARSON) **104**, 289

Luminescence:
Of isolated photocytes from *Porichthys* photophores (CHRISTOPHE and BAGUET) **104**, 183

***Lymnaea stagnalis*:**
Coupled neuronal oscillators in (EGELHAAF and BENJAMIN) **102**, 93

Malpighian tubules:
Transport of uric acid by, in insects (O'DONNELL, MADDRELL and GARDINER) **103**, 169

***Manduca sexta*:**
Factors affecting potassium transport by isolated, larval midgut (WOLFERSBERGER and GIANGIACOMO) **102**, 199
—Organization of flight motoneurones (RIND) **102**, 239
—A directionally sensitive motion detecting neurone in the brain (RIND) **102**, 253
—The role of an identified brain neurone in mediating optomotor movements in a moth (RIND) **102**, 273
—^{3}H-ouabain binding autoradiography in the abdominal nerve cord (RUBIN, STIRLING and STAHL) **104**, 217

— Disappearance of moulting fluid from (Cornell and Pan) **107**, 501

MDCK cells:
Study of occluding junctions and paracellular pathways (Cereijido, González-Mariscal and Borboa) **106**, 205

Mechanical properties:
Of catch apparatus of sea-urchin spine (Hidaka and Takahashi) **103**, 1

— Effect of physico-chemical agents on the catch apparatus of sea-urchin spine (Hidaka) **103**, 15

Mechanoreceptor:
Potential, ionic basis of, in *Paramecium tetraurelia* (Satow, Murphy and Kung) **103**, 253

— The oval organ of the lobster *Homarus gammarus* (Pasztor and Bush) **107**, 431, 465; (Bush and Pasztor) **107**, 451

Membrane isolation:
In the study of potassium ion transport ATPase in insect epithelia (Harvey, Cioffi, Dow and Wolfersberger) **106**, 91

Membrane potential:
In *Aplysia* neurones, reversible changes caused by hypoxia (Coyer, Halsey and Strong) **102**, 79

— Of mosquito anal papillae (Edwards) **102**, 343

— In normoxic and hypoxic *Aplysia* neurones (Coyer) **107**, 1

Membrane resistance:
Of mosquito anal papillae (Edwards) **102**, 343

Mesogloea:
Oxygen diffusion through, in *Calliactis parasitica* (Brafield and Chapman) **107**, 181

Methylxanthines:
Influence on contractile responses and calcium mobilization in smooth muscle (Huddart, Bayton and Shanklin) **107**, 73

***Micropterus dolomieu*:**
Speed, acceleration and manoeuvrability of, (Webb) **102**, 115

Mink:
See Mustela vison

Molluscs:
Water balance and respiratory function in the terrestrial slug, *Limax maximus* (Prior, Hume, Varga and Hess) **104**, 111

— Factors affecting neurite outgrowths of cell cultures (Wong, Martel and Kater) **105**, 389

— Evolution of nervous system of (Munoz, Pawson and Chase) **107**, 147

— *Philine aperta*, nervous control of the salivary glands (Barber) **107**, 331

Monitoring:
Instrumentation for recording animal locomotor activity (Kaufmann) **104**, 295

Mosquito:
See Aedes aegypti

Moth:
See Manduca sexta

Motion detection:
By a directionally sensitive neurone in the brain of *Manduca sexta* (Rind) **102**, 253

— A video activity monitoring processor for registering animal locomotor activity (Kaufmann) **104**, 295

Motoneurones:
In *Manduca sexta*, organization (Rind) **102**, 239

— Effects of ethanol and temperature on a crab motor axon potential (Stephens, Frascella and Mindrebo) **103**, 289

— Physiology of, in wing hair plates of crickets (Elliott) **107**, 21

— Identification of, innervating a locust abdominal ventilatory muscle (Yang and Burrows) **107**, 115

Motor control:
Of the antennal flagellum of *Euastacus armatus* (Sandeman and Wilkens) **105**, 253

Motor output:
Of the denervated ventral thoracic nerve cord of *Carausius morosus* (Bässler and Wegner) **105**, 127

— Of stick insects walking on a slippery surface (Epstein and Graham) **105**, 215

Motor programme:
Switching, in the ventilatory system of *Carcinus maenas* (Simmers and Bush) **104**, 163

Moulting fluid:
Disappearance during ecdysis in *Manduca sexta* (Cornell and Pan) **107**, 501

Muscle activity:
Patterns of, in respiration and jetting of the squid (Gosline, Steeves, Harman and Demont) **104**, 97

— pCa tension characteristics of single skinned chicken skeletal muscle fibres (Moore, Johnston and Goldspink) **105**, 411

Muscle capillary supply:
In *Clarias mossambicus*, effect of acclimation to hypoxia (Johnston, Bernard and Maloiy) **105**, 321

Muscle fibre types:
In rat, influence of circadian rhythms on glycogen metabolism (Garetto and Armstrong) **102**, 211

— In rat, influence of hormones on diurnal glycogen rhythms (Saubert and Armstrong) **102**, 285

Muscle mechanics:
Of the predatory strike of the praying mantid (Gray and Mill) **107**, 245

— Of a crustacean slow muscle (Chapple) **107**, 367

Muscle receptor organ:
Reversal of an intersegmental reflex in the crab (DiCaprio and Clarac) **103**, 303

***Mustela vison*:**
Swimming energetics and body drag (Williams) **103**, 155

— Effect of an elongate body on running energetics (Williams) **105**, 283

Na-K-ATPase:
Role in mechanism and control of NaCl-rich secretion by rectal gland of *Squalus acanthias* (Epstein, Stoff and Silva) **106**, 25

Nerve cells:
Homologous, in asymmetrical ganglia of pulmonate molluscs (Munoz, Pawson and Chase) **107**, 147

Nerve cord:
Abdominal, in *Manduca sexta*, binding of ^{3}H-ouabain (RUBIN, STIRLING and STAHL) **104**, 217
Nerve net:
Pacemakers in the sea anemone *Calliactis parasitica* (MCFARLANE) **104**, 231
Nervous control:
Of the salivary glands of a carnivorous mollusc (BARBER) **107**, 331
Neurite outgrowth:
Conditioning factors for the promotion of, in molluscan cell cultures (WONG, MARTEL and KATER) **105**, 389
Neurohormones:
Control of secretion in cockroaches (HAYES and KEELEY) **107**, 49
Neuromodulation:
By an identified interneurone in Crustacea (NAGY and DICKINSON) **105**, 33; (DICKINSON and NAGY) **105**, 59
Neuromuscular transmission:
Effect of lanthanum ions in the cockroach (WASHIO and MIYAMOTO) **107**, 405
Neuronal oscillators:
In the distributed motor system of *Pleurobranchaea* (COHAN and MPITSOS) **102**, 25
—Coupled, in *Lymnaea stagnalis* (EGELHAAF and BENJAMIN) **102**, 93
Neurones:
A directionally sensitive motion detecting neurone in the moth brain (RIND) **102**, 253
—Interneurone, mediating optomotor movement in the moth brain (RIND) **102**, 273
—DCMD interneurones, structural variability in isogenic clones of locusts (STEEVES and PEARSON) **103**, 47
—Local, in the crayfish (KONDOH and HISADA) **107**, 515

Occluding junctions:
And paracellular pathways in monolayers of MDCK cells (CEREIJIDO, GONZÁLEZ-MARISCAL and BORBOA) **106**, 205
Ocelli:
Structure and function in the flight motor system of the locust (ROWELL and PEARSON) **103**, 265
Octopamine:
Effect on synaptic transmission and excitation–contraction coupling in the opener muscle of *Astacus leptodactylus* (FISCHER and FLOREY) **102**, 187
***Octopus vulgaris*:**
Circulatory response to hypoxia (WELLS and WELLS) **104**, 59
Oil-substrate:
For investigating walking behaviour of stick insects (EPSTEIN and GRAHAM) **105**, 215
Optokinetics:
In the spiny lobster, *Palinurus vulgaris* (NEIL, SCHÖNE, SCAPINI and MIYAN) **107**, 349
Optomotor movements:
Mediated by an identified brain neurone in *Manduca sexta* (RIND) **102**, 273
Orientation:
Aerial manoeuvring reflexes in flightless grasshoppers (ARBAS) **107**, 509
Osmolality:
Effect on sperm motility in cyprinid fishes (MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA) **107**, 95
—Effect on sperm mobility in salmonid fishes (MORISAWA, SUZUKI and MORISAWA) **107**, 105
Osmoregulation:
In teleost fish, role of chloride cells and hormones (FOSKETT, BERN, MACHEN and CONNER), **106**, 255
—Evolution of control of, in vertebrates (PANG) **106**, 283
Ouabain:
Tritiated, binding to abdominal nerve cord of *Manduca sexta* (RUBIN, STIRLING and STAHL) **104**, 217
Oxyanions:
Transport across the isolated eel intestine (BELL, KELLY and SARGENT) **102**, 295
Oxygen diffusion:
Through the mesogloea of the sea anemone (BRAFIELD and CHAPMAN) **107**, 181
Oxygen transport:
In blood and erythrocytes of *Squalus acanthis* (WELLS and WEBER) **103**, 95

Pacemakers:
In the nerve net of the sea anemone *Calliactis parasitica* (MCFARLANE) **104**, 231
***Pachygrapsus crassipes*:**
A possible mechanism for peripheral spike generation (STEPHENS, FRASCELLA and MINDREBO) **103**, 289
***Palinurus vulgaris*:**
Visual system (NEIL, SCHÖNE, SCAPINI and MIYAN) **107**, 349
Paracellular pathways:
And occluding junctions in monolayers of MDCK cells (CEREIJIDO, GONZÁLEZ-MARISCAL and BORBOA) **106**, 205
—Functional properties of, in leaky epithelia (KOTTRA and FRÖMTER) **106**, 217
***Paramecium tetraurelia*:**
Ionic basis of depolarizing membrane potential (SATOW, MURPHY and KUNG) **103**, 253
Pardaxin:
Causes a sodium influx in teleost opercular epithelia (PRIMOR) **105**, 83
Parietal cell:
Proton secretion by (RABON, CUPPOLETTI, MALINOWSKA, SMOLKA, HELANDER, MENDLEIN and SACHS) **106**, 119
Pattern generator:
Control of, by an identified interneurone in Crustacea (NAGY and DICKINSON) **105**, 33; (DICKINSON and NAGY) **105**, 59
***Pelecanus occidentalis*:**
Thermal soaring pattern (PENNYCUICK) **102**, 307
Peptides:
Endogenous, proctolin-like, enhance contractility of *Limulus* heart (WATSON, AUGUSTINE, BENSON and SULLIVAN) **103**, 55

***Perca fluviatilis*:**
Effect of efferent stimulation on receptor potentials in the lateral line system (RUSSELL and LOWE) **102**, 223
Perch:
See Perca fluviatilis
***Periplaneta americana*:**
The relationship between temperature sensitivity in the prothoracic ganglion and thermoregulation (MURPHY and HEATH) **105**, 305
—Acetylcholine receptors on the cell body membrane of giant interneurone 2 (HARROW and SATTELLE) **105**, 339
—Effect of lanthanum ions on neuromuscular transmission (WASHIO and MIYAMOTO) **107**, 405
—Effect of α-bungarotoxin on synaptic transmission (SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL) **107**, 473
Permeability:
Of cell membranes in insect Malpighian tubules to water and solutes (O'DONNELL and MADDRELL) **106**, 231
—Of three species of euryhaline amphipods to water (BOLT) **107**, 129
pH:
Low, effect on physiology of *Salmo gairdneri* (MCDONALD) **102**, 123; (MCDONALD, WALKER and WILKES) **102**, 141
—Extracellular, during hypercapnia in a marine teleost fish (TOEWS, HOLETON and HEISLER) **107**, 9
***Phasianus colchicus*:**
Relationship between haemoglobin O_2 affinity and the ventilatory response to hypoxia (BOGGS and BIRCHARD) **102**, 347
Pheasant:
See Phasianus colchicus
***Philine aperta*:**
Nervous control of the salivary glands (BARBER) **107**, 331
***Phocoena phocoena*:**
Bony nares air pressure and nasal plug muscle activity during chick production (AMUNDIN and ANDERSEN) **105**, 275
Photocytes:
Luminescence of, isolated from photophores of *Porichthys notatus* (CHRISTOPHE and BAGUET) **104**, 183
Photoperiod:
Effect on thermoregulation by a 'blind' subterranean mammal (HAIM, HETH, PRATT and NEVO) **107**, 59
Plasma:
Colloid osmotic pressure of, in the river lamprey (MCVICAR and RANKIN) **104**, 299
Plasticity:
Of reflex responses in the locust (ZILL and FORMAN) **107**, 385
***Pleurobranchaea californica*:**
Generation of rhythmic activity in the distributed motor system of (COHAN and MPITSOS) **102**, 25
—Selective recruitment of interganglionic interneurones during different motor patterns in (COHAN and MPITSOS) **102**, 43
***Porichthys notatus*:**
Luminescence of isolated photocytes from photophores (CHRISTOPHE and BAGUET) **104**, 183
Porpoise:
See Phocoena phocoena
Position detector:
For the 'instant' analysis of movement (GODDEN and GRAHAM) **107**, 505
Potassium:
Intracellular ion activities in *Aplysia* neurones, effects of hypoxia (COYER, HALSEY and STRONG) **102**, 79
—Factors affecting transport of, by isolated lepidopteran larval midgut (WOLFERSBERGER and GIANGIACOMO) **102**, 199
—Balance in seawater teleosts (SANDERS and KIRSCHNER) **104**, 15
—Active branchial transport of by marine teleost fishes (SANDERS and KIRSCHNER) **104**, 29
—Kinetics of active transport by lepidopteran midgut (MOFFETT and KOCH) **105**, 403
—Intracellular ion activities, in hypoxic *Aplysia* neurones (COYER) **107**, 1
—Effects on sperm motility in cyprinid fishes (MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASUDA) **107**, 95
—Effects on sperm motility in salmonid fishes (MORISAWA, SUZUKI and MORISAWA) **107**, 105
Praying mantid:
Mechanics of the predatory strike of *Heirodula membranacea* (GRAY and MILL) **107**, 245
Predatory strike:
Muscle mechanics of, in the praying mantid (GRAY and MILL) **107**, 245
—Elicitation of, in the dragonfly larva (KANOU and SHIMOZAWA) **107**, 391
—Labial extension mechanism in the dragonfly larva (PARRY) **107**, 495
Pressure:
Buccal and opercular, importance in prey capture dynamics of fishes (LAUDER) **104**, 1
***Procambarus clarkii*:**
Ganglionic fusion in lateral giant interneurones (KONDOH and HISADA) **107**, 515
Proctolin:
And an endogenous proctolin-like peptide enhance the contractility of *Limulus* heart (WATSON, AUGUSTINE, BENSON and SULLIVAN) **103**, 55
Proprioceptive reflexes:
Changes when an insect assumes an active, learned posture (ZILL and FORMAN) **107**, 385
Proprioceptors:
In interleg coordination of leg position by walking stick insects (DEAN and WENDLER) **103**, 75
Prothoracic ganglion:
Role in thermoregulation by the cockroach (MURPHY and HEATH) **105**, 305
Proton pump:
In vesicles isolated from urinary epithelia (AL-AWQATI, GLUCK, REEVES and CANNON) **106**, 135

Ram ventilation:
Energetics of, by the sharksucker, *Echeneis naucrates* (Steffensen and Lomholt) **103**, 185
***Rana catesbeiana*:**
Respiration during chronic hypoxia and hyperoxia of adults and larvae (Burggren and Mwalukoma) **105**, 191; (Pinder and Burggren) **105**, 205
Rat:
Influence of circadian rhythms on rat muscle glycogen metabolism during and after exercise (Garetto and Armstrong) **102**, 211
— Hormonal influence on diurnal glycogen rhythms in skeletal muscle (Saubert and Armstrong) **102**, 285
Receptor potentials:
In the perch lateral line system, effect of efferent stimulation (Russell and Lowe) **102**, 223
— Ionic basis of, in *Paramecium tetraurelia* (Satow, Murphy and Kung) **103**, 253
— In the lobster oval organ (Bush and Pasztor) **107**, 451
Rectal gland:
Effects of secretory agents on haemodynamics (Shuttleworth) **103**, 193
— Mechanism and control of NaCl-rich secretion in *Squalus acanthias* (Epstein, Stoff and Silva) **106**, 25
Reduviid bugs:
Occurrence of resilin in elastic structures in the food pump (Edwards) **105**, 407
Reflex:
Intersegmental, reversal of (DiCaprio and Clarac) **103**, 303
Reflex control:
Of femur–tibia joint in the standing leg of a walking stick insect, *Carausius morosus* (Cruse and Schmitz) **102**, 175
Regeneration:
Of the eye of *Strombus*, electrophysiology (Gillary) **107**, 293
Renal function:
Effects of anaesthesia, temperature and environmental salinity in the river lamprey (McVicar and Rankin) **105**, 351
Reproductive investment:
In poikilothermic fish, compensation for by a reduction in swimming activity (Koch and Wieser) **107**, 141
Resilin:
Occurrence in elastic structures in the food-pump of Reduviid bugs (Edwards) **105**, 407
Respiration:
Bimodal, by larvae of the frog, *Rana berlandieri* (Feder) **104**, 79
— And water balance in the terrestrial slug, *Limax maximus* (Prior, Hume, Varga and Hess) **104**, 97
— Effect on stamina of anuran larvae (Wassersug and Feder) **105**, 173
Retinal damage:
To the light-sensitive crustacean compound eye (Nilsson and Lindström) **107**, 277
***Rhea americana*:**
Relationship between haemoglobin O_2 affinity and the ventilatory response to hypoxia (Boggs and Birchard) **102**, 347
***Rhodnius prolixus*:**
Uric acid transport by Malpighian tubules (O'Donnell, Maddrell and Gardiner) **103**, 169
Rubidium:
As a tracer for potassium in metabolism of marine teleost fishes (Sanders and Kirschner) **104**, 15
Running:
Energetics of, in the North American mink (Williams) **105**, 283

Safety factors:
In limb bones of small mammals (Biewener) **103**, 131
Salinity:
External, effect on water permeability of three species of euryhaline amphipods (Bolt) **107**, 129
Salivary gland:
Action potential generating secretory cell types isolated from, in *Ariolimax* (Goldring, Kater and Kater) **102**, 13
— Nervous control of, in *Philine aperta* (Barber) **107**, 331
***Salmo gairdneri*:**
Speed, acceleration and manoeuvrability of (Webb) **102**, 115
— The interaction of environmental calcium and low pH on the physiology of (McDonald) **102**, 123; (McDonald, Walker and Wilkes) **102**, 141
— Lactate and proton dynamics after severe exercise (Turner, Wood and Clark) **104**, 247
— Physiological consequences of exercise compared with consequences in the flathead sole (Turner, Wood and Hōbe) **104**, 269
— Cardiac output and regional blood flow after exhaustive exercise (Neumann, Holeton and Heisler) **105**, 1
— Ammonia metabolism and excretion (Cameron and Heisler) **105**, 107
— Factors affecting lactate and proton efflux from pre-exercised, isolated perfused trunks (Turner and Wood) **105**, 395
***Schistocerca americana*:**
Suppression of a visual interneurone during defensive kicking (Heitler) **104**, 203
— Identification of motor neurones innervating locust abdominal ventilatory muscle (Yang and Burrows) **107**, 115
— Plasticity of reflex responses in (Zill and Forman) **107**, 385
***Schistocerca gregaria*:**
Variability in the structure of an identified interneurone in isogenic clones (Steeves and Pearson) **103**, 47
— Ocellar input to the flight motor system (Rowell and Pearson) **103**, 265
— Innervation of the mesothoracic flexor tibiae muscle (Theophilidis and Burns) **105**, 373
***Schistosoma mansoni*:**
Epithelial transport in the absence of paracellular pathways (Podesta) **106**, 195

***Scyliorhinus canicula*:**
Haemodynamic effects of secretory agents on the isolated rectal gland (SHUTTLEWORTH) **103**, 193
***Scyliorhinus stellaris*:**
Acid-base regulation after exercise (HOLETON and HEISLER) **103**, 31
Sea anemone:
Nerve net pacemakers and phases of behaviour in the sea anemone *Calliactis parasitica* (MCFARLANE) **104**, 231
Sea urchin:
Fine structure and mechanical properties of the spine catch apparatus (HIDAKA and TAKAHASHI) **103**, 1
—Effects of physico-chemical agents on the mechanical properties of the catch apparatus (HIDAKA) **103**, 15
Secretion:
And haemodynamics of isolated elasmobranch rectal gland (SHUTTLEWORTH) **103**, 193
Sensory habituation:
In the lobster oval organ (PASZTOR and BUSH) **107**, 465
Sharksucker:
See Echeneis naucrates
Slow muscle:
Mechanics of, in a crustacean, *Pagurus pollicarus* (CHAPPLE) **107**, 367
Smooth muscle:
Influence of methylxanthines on contractile responses and calcium mobilization (HUDDART, BAYTON and SHANKLIN) **107**, 73
Soaring:
Patterns, of tropical birds (PENNYCUICK) **102**, 307
Sodium:
Absorption across 'tight' vertebrate epithelia (LEWIS) **106**, 9
Sound production:
Mechanism of, in the harbour porpoise and bottlenosed dolphin (AMUNDIN and ANDERSEN) **105**, 275
Sperm motility:
In freshwater fish, effects of osmolality and potassium ions (MORISAWA, SUZUKI, SHIMIZU, MORISAWA and YASADU) **107**, 95
—In salmonid fishes, effects of potassium and osmolality (MORISAWA, SUZUKI and MORISAWA) **107**, 105
***Spermophilus tridecemlineatus*:**
Locomotory stresses in the limb bones (BIEWENER) **103**, 131
***Spirocodon saltatrix*:**
Effect of light on ERG from the ocellus (OHTSU) **105**, 417
***Squalus acanthias*:**
Oxygen transport and phosphorylated metabolic intermediates in blood and erythrocytes (WELLS and WEBER) **103**, 95
—Oxygen equilibria in the haemoglobin system (WEBER, WELLS and ROSSETTI) **103**, 109
—Haemodynamic effects of secretory agents on the isolated rectal gland of (SHUTTLEWORTH) **103**, 193
—Haemodynamics of the isolated, perfused head (EVANS and CLAIBORNE) **105**, 363
—NaCl-rich secretion by rectal gland (EPSTEIN, STOFF and SILVA) **106**, 25
Squid:
Patterns of circular and radial mantle muscle activity in respiration and jetting of *Loligo opalescens* (GOSLINE, STEEVES, HARMAN and DEMONT) **104**, 97
Stick insect:
See Carausius morosus
***Strombus luhuanus*:**
Electrophysiology of the regenerating eye (GILLARY) **107**, 293
Swimming:
Speed, acceleration and manoeuvrability of two teleost fishes (WEBB) **102**, 115
—Energetics of, for North American mink (WILLIAMS) **103**, 155
—Reduction of, in compensation for the cost of production (KOCH and WIESER) **107**, 141
—Effect on H^+ and CO_2 production by coho salmon (VAN DEN THILLART, RANDALL and HOA-REN) **107**, 169
—Effect on heart rate and gas exchange in tufted ducks (WOAKES and BUTLER) **107**, 311
Synaptic transmission:
In the cockroach, inhibition by α-bungarotoxin (SATTELLE, HARROW, HUE, PELHATE, GEPNER and HALL) **107**, 473
Systems analysis:
Of dogfish eye movements (MONTGOMERY) **105**, 297

Tadpoles:
Of *Rana berlandieri*, responses of, to acute aquatic hypoxia (FEDER) **104**, 79
—The effects of aquatic oxygen concentration, body size and respiratory behaviour on the stamina of (WASSERSUG and FEDER) **105**, 173
***Tamais striatus*:**
Locomotory stresses in the limb bones (BIEWENER) **103**, 131
Teleost fishes:
Speed, acceleration and manoeuvrability of, (WEBB) **102**, 115
—Marine, potassium metabolism of (SANDERS and KIRSCHNER) **104**, 15; **104**, 29
—Antarctic, the role of antifreeze glycopeptides in the bile and intestinal fluids (O'GRADY, ELLORY and DEVRIES) **104**, 149
—Cardiac performance of the *in situ* perfused heart (FARRELL, MACLEOD, DRIEDZIC and WOOD) **107**, 415
Thallium:
Active transport across frog skin, comparison with other cations (ZERAHN) **107**, 65
Thermoregulation:
Role of the prothoracic ganglion in the cockroach (MURPHY and HEATH) **105**, 305
—Effect of photoperiod in a 'blind' subterranean mammal (HAIM, HETH, PRATT and NEVO) **107**, 59

Thoracic appendages:
Of decapod crustacea, waving behaviour (Pasztor and Clarac) **102**, 59
Tight junctions:
Functional properties of, in leaky epithelia (Kottra and Frömter) **106**, 217
Tissue blood flow:
After exhaustive exercise in *Salmo gairdneri* (Neumann, Holeton and Heisler) **105**, 1
Transport:
Potassium ion, mechanism of in insect epithelia (Harvey, Cioffi, Dow and Wolfersberger) **106**, 91
— Role of Cl^--stimulated ATPases in plasma membranes (Gerencser and Lee) **106**, 143
— Mechanisms in cell membranes of intestine and kidney (Murer, Ahearn, Biber, Cassano, Gmaj and Stieger) **106**, 163
— Of isosmotic fluid by gallbladder epithelium (Spring) **106**, 181
— Epithelial, in parasitic flatworms, in the absence of paracellular pathways (Podesta) **106**, 195
— Transepithelial, in osmoregulation by teleost fish (Foskett, Bern, Machen and Conner) **106**, 255
— Epithelial, evolution of control of, in vertebrates (Pang) **106**, 283
Transporting epithelium:
Electrophysiology of mosquito anal papillae (Edwards) **102**, 343
***Tursiops truncatus*:**
Bony nares air pressure and nasal plug muscle activity during click production (Amundin and Andersen) **105**, 275
Turtle plasma:
Comparison of measured and calculated bicarbonate concentrations in *Chrysemis picta bellii* (Nicol, Glass and Heisler) **107**, 521

Ultraviolet light:
Effect on ERG from the ocellus of *Spirocodon saltatrix* (Ohtsu) **105**, 417
Uric acid:
Transport by insect Malpighian tubules (O'Donnell, Maddrell and Gardiner) **103**, 169
Uricotelism:
Of the domestic fowl (Long and Skadhauge) **104**, 41; **104**, 51
Urinary acidification:
In the domestic fowl (Long and Skadhauge) **104**, 51
— In turtle bladder and beef kidney medulla, isolation of vesicles containing the proton pump (Al-Awqati, Gluck, Reeves and Cannon) **106**, 135
Urinary precipitates:
Role in the excretion of electrolytes and urate by the domestic fowl (Long and Skadhauge) **104**, 41
***Varanus exanthematicus*:**
Mechanism of intracardiac shunting (Heisler, Neumann and Maloiy) **105**, 15
Ventilatory system:
Of *Carcinus maenas*, motor programme switching in (Simmers and Bush) **104**, 163
— Identification of motor neurones innervating an abdominal ventilatory muscle in the locust (Yang and Burrows) **107**, 115
Vision:
In the spiny lobster, *Palinurus vulgaris* (Neil, Schöne, Scapini and Miyan) **107**, 349
Visual-evoked potentials:
In the evaluation of the visual pathway of the 'blind' mole rat (Haim, Heth, Pratt and Nevo) **107**, 59

Walking:
Control system of the femur–tibia joint in the standing leg of *Carausius morosus* (Cruse and Schmitz) **102**, 175
— Interleg coordination of leg position by *Carausius morosus* (Dean and Wendler) **103**, 75
— Kinetics of, in the stick insect (Graham) **104**, 129
— By *Carausius morosus*, after denervation of the thoracic ventral nerve cord (Bässler and Wegner) **105**, 127
— By *Carausius morosus*, on a slippery surface (Epstein and Graham) **105**, 215
Water balance:
And respiratory function in the terrestrial slug, *Limax maximus* (Prior, Hume, Varga and Hess) **104**, 97
Water jet stimulus:
To elicit the labial predatory strike of dragonfly larvae (Kanou and Shimozawa) **107**, 391
Water permeability:
Of cell membranes of *Necturus* gallbladder (Spring) **106**, 181
Waving:
An alternative motor programme for the thoracic appendages of decapod crustacea (Pasztor and Clarac) **102**, 59
White-necked raven:
See Corvus cryptoleucus
Windhovering:
In the hunting flight of the kestrel (Videler, Weihs and Daan) **102**, 1

X-ray microanalysis:
Used in the study of potassium ion transport ATPase in insect epithelia (Harvey, Cioffi, Dow and Wolfersberger) **106**, 91

Zinc:
Inhibition of chloride transport across the opercular epithelium of killifish (Crespo and Karnaky) **102**, 337